

Sub  
A3

What is claimed is:

1. An isolated nucleic acid molecule selected from the group consisting of: a nucleic acid molecule having a nucleic acid sequence that is at least about 80 percent identical to a nucleic acid sequence selected from the group consisting of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:5, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:10, SEQ ID NO:11, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:16, SEQ ID NO:18, SEQ ID NO:19, SEQ ID NO:20, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:28, SEQ ID NO:29, SEQ ID NO:30, SEQ ID NO:32, SEQ ID NO:33, SEQ ID NO:35, or a fragment thereof having at least about 12 nucleotides; a nucleic acid molecule consisting of a nucleic acid sequence selected from the group consisting of SEQ ID NO:36, SEQ ID NO:38, SEQ ID NO:39, and SEQ ID NO:40; and a nucleic acid molecule having a nucleic acid sequence that is at least about 90 percent identical to a nucleic acid sequence selected from the group consisting of SEQ ID NO:41, SEQ ID NO:43, SEQ ID NO:44, SEQ ID NO:45, SEQ ID NO:46, SEQ ID NO:48, SEQ ID NO:49, SEQ ID NO:50, or a fragment thereof having at least about 12 nucleotides.
2. An isolated nucleic acid molecule selected from the group consisting of:
  - (a) a nucleic acid molecule having a nucleic acid sequence encoding a B7 protein selected from the group consisting of a protein having an amino acid sequence that is at least about 80 percent identical to the amino acid sequence SEQ ID NO:2, a protein comprising an epitope of said protein having an amino acid sequence that is at least about 80 percent identical to the amino acid sequence SEQ ID NO:2, a protein having an amino acid sequence that is at least about 60 percent identical to the amino acid sequence SEQ ID NO:7, a protein comprising an epitope of said protein having an amino acid sequence that is at least about 60 percent identical to the amino acid sequence SEQ ID NO:7, a protein having an amino acid sequence that is at least about 80 percent identical to the amino acid sequence SEQ ID NO:12, a protein comprising an epitope of said protein having an amino acid sequence that is at least about 80 percent identical to the amino acid sequence SEQ ID NO:12, a protein having an amino acid sequence that is at least about 60 percent identical to the amino acid sequence SEQ ID NO:17, a protein comprising an epitope of said protein having an amino acid sequence that is at least

about 60 percent identical to the amino acid sequence SEQ ID NO:17, a protein having an amino acid sequence that is at least about 60 percent identical to the amino acid sequence SEQ ID NO:26, a protein comprising an epitope of said protein having an amino acid sequence that is at least about 60 percent identical to the amino acid sequence SEQ ID NO:26, a protein having an amino acid sequence that is at least about 80 percent identical to the amino acid sequence SEQ ID NO:34, a protein comprising an epitope of said protein having an amino acid sequence that is at least about 80 percent identical to the amino acid sequence SEQ ID NO:34, and a protein having amino acid sequence SEQ ID NO:37;

(b) a nucleic acid molecule comprising a complement of any of said nucleic acid sequences set forth in (a);

(c) a nucleic acid molecule having a nucleic acid sequence encoding a CTLA4 protein selected from the group consisting of: a protein having an amino acid sequence that is at least about 90 percent identical to an amino acid sequence selected from the group consisting of SEQ ID NO:42 and SEQ ID NO:47; and a protein comprising an epitope of said protein having an amino acid sequence that is at least about 90 percent identical to an amino acid sequence selected from the group consisting of SEQ ID NO:42 and SEQ ID NO:47; and

(d) a nucleic acid molecule comprising a complement of any of said nucleic acid sequences set forth in (c); wherein said B7 protein elicits an immune response against a naturally-occurring B7 protein, and wherein said CTLA4 protein elicits an immune response against a naturally-occurring CTLA4 protein.

3. An isolated nucleic acid molecule selected from the group consisting of a nucleic acid molecule that encodes a naturally-occurring soluble mammalian B7 protein and a nucleic acid molecule comprising a complement of said nucleic acid molecule that encodes said protein.

4. An isolated protein selected from the group consisting of:

(a) an isolated protein comprising a B7 protein selected from the group consisting of a protein having an amino acid sequence that is at least about 80 percent identical to the amino acid sequence SEQ ID NO:2, a protein comprising an epitope of said protein having an amino acid sequence that is at least about 80 percent identical to

the amino acid sequence SEQ ID NO:2, a protein having an amino acid sequence that is at least about 60 percent identical to the amino acid sequence SEQ ID NO:7, a protein comprising an epitope of said protein having an amino acid sequence that is at least about 60 percent identical to the amino acid sequence SEQ ID NO:7, a protein having an amino acid sequence that is at least about 80 percent identical to the amino acid sequence SEQ ID NO:12, a protein comprising an epitope of said protein having an amino acid sequence that is at least about 80 percent identical to the amino acid sequence SEQ ID NO:12, a protein having an amino acid sequence that is at least about 60 percent identical to the amino acid sequence SEQ ID NO:17, a protein comprising an epitope of said protein having an amino acid sequence that is at least about 60 percent identical to the amino acid sequence SEQ ID NO:17, a protein having an amino acid sequence that is at least about 60 percent identical to the amino acid sequence SEQ ID NO:26, a protein comprising an epitope of said protein having an amino acid sequence that is at least about 60 percent identical to the amino acid sequence SEQ ID NO:26, a protein having an amino acid sequence that is at least about 80 percent identical to the amino acid sequence SEQ ID NO:34, a protein comprising an epitope of said protein having an amino acid sequence that is at least about 80 percent identical to the amino acid sequence SEQ ID NO:34, and a protein consisting of amino acid sequence SEQ ID NO:37, wherein said B7 protein elicits an immune response against a naturally-occurring B7 protein; and

(b) an isolated protein comprising a CTLA4 protein selected from the group consisting of: a protein having an amino acid sequence that is at least about 90 percent identical to an amino acid sequence selected from the group consisting of SEQ ID NO:42 and SEQ ID NO:47; and a protein comprising an epitope of said protein having an amino acid sequence that is at least about 90 percent identical to an amino acid sequence selected from the group consisting of SEQ ID NO:42 and SEQ ID NO:47; wherein said CTLA4 protein elicits an immune response against a naturally-occurring CTLA4 protein.

5. An isolated naturally-occurring soluble mammalian B7 protein.
6. A therapeutic composition that, when administered to an animal, regulates T cell mediated immune responses in said animal, said therapeutic composition

SUB  
A4  
30

5 comprising a therapeutic compound selected from the group consisting of: an isolated protein comprising a B7 protein, wherein said B7 protein is selected from the group consisting of a protein having an amino acid sequence that is at least about 80 percent identical to the amino acid sequence SEQ ID NO:2, a protein comprising an epitope of said protein having an amino acid sequence that is at least about 80 percent identical to the amino acid sequence SEQ ID NO:2, a protein having an amino acid sequence that is at least about 60 percent identical to the amino acid sequence SEQ ID NO:7, a protein comprising an epitope of said protein having an amino acid sequence that is at least about 60 percent identical to the amino acid sequence SEQ ID NO:7, a protein having an amino acid sequence that is at least about 80 percent identical to the amino acid sequence SEQ ID NO:12, a protein comprising an epitope of said protein having an amino acid sequence that is at least about 80 percent identical to the amino acid sequence SEQ ID NO:12, a protein having an amino acid sequence that is at least about 60 percent identical to the amino acid sequence SEQ ID NO:17, a protein comprising an epitope of said protein having an amino acid sequence that is at least about 60 percent identical to the amino acid sequence SEQ ID NO:17, a protein having an amino acid sequence that is at least about 60 percent identical to the amino acid sequence SEQ ID NO:26, a protein comprising an epitope of said protein having an amino acid sequence that is at least about 60 percent identical to the amino acid sequence SEQ ID NO:26, a protein having an amino acid sequence that is at least about 80 percent identical to the amino acid sequence SEQ ID NO:34, a protein comprising an epitope of said protein having an amino acid sequence that is at least about 80 percent identical to the amino acid sequence SEQ ID NO:34, a protein having amino acid sequence SEQ ID NO:37, an isolated naturally-occurring soluble B7 protein; a mimotope of any of said B7 proteins; a multimeric form of any of said B7 proteins; an isolated protein comprising a CTLA4 protein selected from the group consisting of: a protein having an amino acid sequence that is at least about 90 percent identical to an amino acid sequence selected from the group consisting of SEQ ID NO:42 and SEQ ID NO:47; and a protein comprising an epitope of said protein having an amino acid sequence that is at least about 90 percent identical to an amino acid sequence selected from the group consisting of SEQ ID NO:42 and SEQ ID NO:47; a mimotope of any of said CTLA4 proteins; a multimeric

SWB  
Q4 can be

form of any of said CTLA4 proteins; an isolated nucleic acid molecule selected from the group consisting of: a nucleic acid molecule having a nucleic acid sequence that is at least about 80 percent identical to a nucleic acid sequence selected from the group consisting of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:5, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:10, SEQ ID NO:11, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:16, SEQ ID NO:18, SEQ ID NO:19, SEQ ID NO:20, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:28, SEQ ID NO:29, SEQ ID NO:30, SEQ ID NO:32, SEQ ID NO:33, and SEQ ID NO:35; a nucleic acid molecule consisting of a nucleic acid sequence selected from the group consisting of SEQ ID NO:36, SEQ ID NO:38, SEQ ID NO:39, and SEQ ID NO:40; and a nucleic acid molecule having a nucleic acid sequence that is at least about 90 percent identical to a nucleic acid sequence selected from the group consisting of SEQ ID NO:41, SEQ ID NO:43, SEQ ID NO:44, SEQ ID NO:45, SEQ ID NO:46, SEQ ID NO:48, SEQ ID NO:49, and SEQ ID NO:50; an isolated antibody that selectively binds to any of said B7 proteins; an inhibitor of B7 protein activity identified by its ability to inhibit the activity of any of said B7 proteins; an isolated antibody that selectively binds to any of said CTLA4 proteins; and an inhibitor of CTLA4 protein activity identified by its ability to inhibit the activity of any of said CTLA4 proteins.

7. A method to regulate T cell mediated immune responses in an animal comprising administering to the animal a therapeutic composition comprising a therapeutic compound selected from the group consisting of: an isolated protein comprising a B7 protein, wherein said B7 protein is selected from the group consisting of a protein having an amino acid sequence that is at least about 80 percent identical to the amino acid sequence SEQ ID NO:2, a protein comprising an epitope of said protein having an amino acid sequence that is at least about 80 percent identical to the amino acid sequence SEQ ID NO:2, a protein having an amino acid sequence that is at least about 60 percent identical to the amino acid sequence SEQ ID NO:7, a protein comprising an epitope of said protein having an amino acid sequence that is at least about 60 percent identical to the amino acid sequence SEQ ID NO:7, a protein having an amino acid sequence that is at least about 80 percent identical to the amino acid sequence SEQ ID NO:12, a protein comprising an epitope of said protein having an

amino acid sequence that is at least about 80 percent identical to the amino acid sequence SEQ ID NO:12, a protein having an amino acid sequence that is at least about 60 percent identical to the amino acid sequence SEQ ID NO:17, a protein comprising an epitope of said protein having an amino acid sequence that is at least about 60 percent identical to the amino acid sequence SEQ ID NO:17, a protein having an amino acid sequence that is at least about 60 percent identical to the amino acid sequence SEQ ID NO:26, a protein comprising an epitope of said protein having an amino acid sequence that is at least about 60 percent identical to the amino acid sequence SEQ ID NO:26, a protein having an amino acid sequence that is at least about 80 percent identical to the amino acid sequence SEQ ID NO:34, a protein comprising an epitope of said protein having an amino acid sequence that is at least about 80 percent identical to the amino acid sequence SEQ ID NO:34, a protein having amino acid sequence SEQ ID NO:37, an isolated naturally-occurring soluble B7 protein; a mimotope of any of said B7 proteins; a multimeric form of any of said B7 proteins; an isolated protein comprising a CTLA4 protein selected from the group consisting of: a protein having an amino acid sequence that is at least about 90 percent identical to an amino acid sequence selected from the group consisting of SEQ ID NO:42 and SEQ ID NO:47; and a protein comprising an epitope of said protein having an amino acid sequence that is at least about 90 percent identical to an amino acid sequence selected from the group consisting of SEQ ID NO:42 and SEQ ID NO:47; a mimotope of any of said CTLA4 proteins; a multimeric form of any of said CTLA4 proteins; an isolated nucleic acid molecule selected from the group consisting of: a nucleic acid molecule having a nucleic acid sequence that is at least about 80 percent identical to a nucleic acid sequence selected from the group consisting of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:5, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:10, SEQ ID NO:11, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:16, SEQ ID NO:18, SEQ ID NO:19, SEQ ID NO:20, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:28, SEQ ID NO:29, SEQ ID NO:30, SEQ ID NO:32, SEQ ID NO:33, and SEQ ID NO:35; a nucleic acid molecule consisting of a nucleic acid sequence selected from the group consisting of SEQ ID NO:36, SEQ ID NO:38, SEQ ID NO:39, and SEQ ID NO:40; and a nucleic acid molecule having a nucleic acid sequence that is at least about 90 percent identical to

a nucleic acid sequence selected from the group consisting of SEQ ID NO:41, SEQ ID NO:43, SEQ ID NO:44, SEQ ID NO:45, SEQ ID NO:46, SEQ ID NO:48, SEQ ID NO:49, and SEQ ID NO:50; an isolated antibody that selectively binds to any of said B7 proteins; an inhibitor of B7 protein activity identified by its ability to inhibit the activity of any of said B7 proteins; an isolated antibody that selectively binds to any of said CTLA4 proteins; and an inhibitor of CTLA4 protein activity identified by its ability to inhibit the activity of any of said CTLA4 proteins.

Sub AS  
8. A method to produce a protein selected from the group consisting of a B7 protein and a CTLA4 protein, said method comprising culturing a cell capable of expressing said protein, said protein being encoded by a nucleic acid molecule selected from the group consisting of: a nucleic acid molecule having a nucleic acid sequence that is at least about 80 percent identical to a nucleic acid sequence selected from the group consisting of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:5, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:10, SEQ ID NO:11, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:16, SEQ ID NO:18, SEQ ID NO:19, SEQ ID NO:20, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:28, SEQ ID NO:29, SEQ ID NO:30, SEQ ID NO:32, SEQ ID NO:33, SEQ ID NO:35, or a fragment thereof having at least about 18 nucleotides, wherein said fragment encodes an epitope; a nucleic acid molecule consisting of a nucleic acid sequence selected from the group consisting of SEQ ID NO:36, SEQ ID NO:38, SEQ ID NO:39, and SEQ ID NO:40; a nucleic acid molecule having a nucleic acid sequence that is at least about 90 percent identical to a nucleic acid sequence selected from the group consisting of SEQ ID NO:41, SEQ ID NO:43, SEQ ID NO:44, SEQ ID NO:45, SEQ ID NO:46, SEQ ID NO:48, SEQ ID NO:49, SEQ ID NO:50, or a fragment thereof having at least about 18 nucleotides, wherein said fragment encodes an epitope; and a nucleic acid molecule that encodes a naturally-occurring soluble mammalian B7 protein.

9. A method to identify a compound capable of regulating T cell mediated immune responses in an animal, said method comprising:

(a) contacting an isolated protein selected from the group consisting of a B7 protein and a CTLA4 protein with a putative inhibitory compound under conditions in which, in the absence of said compound, said protein has T cell stimulating activity,

wherein said B7 protein is selected from the group consisting of: a protein having an amino acid sequence that is at least about 80 percent identical to an amino acid sequence selected from the group consisting of SEQ ID NO:2, SEQ ID NO:12 and SEQ ID NO:34; and a protein having an amino acid sequence that is at least about 60 percent identical to an amino acid sequence selected from the group consisting of SEQ ID NO:7, SEQ ID NO:17 and SEQ ID NO:26, and wherein said CTLA4 protein is selected from the group consisting of a protein having an amino acid sequence that is at least about 90% identical to an amino acid sequence selected from the group consisting of SEQ ID NO:42 and SEQ ID NO:47; and

10 (b) determining if said putative inhibitory compound inhibits said activity.

10. The invention of Claims 1,2, or 6-8, wherein said nucleic acid molecule comprises a nucleic acid sequence that encodes a protein selected from the group consisting of a B7 protein and a CTLA4 protein.

11. The invention of Claims 1,2, or 6-8, wherein said nucleic acid molecule encodes a protein that elicits an immune response against a protein selected from the group consisting of a naturally-occurring B7 protein and a naturally-occurring CTLA4 protein.

12. The invention of Claims 1,2, or 6-8, wherein said nucleic acid molecule is selected from the group consisting of: a nucleic acid molecule comprising a nucleic acid molecule selected from the group consisting of nCaB7-1<sub>2830</sub>, nCaB7-1<sub>1385</sub>, nCaB7-1<sub>912</sub>, nCaB7-2<sub>1897</sub>, nCaB7-2<sub>987</sub>, nCaB7-1s<sub>1024</sub>, nCaB7-1s<sub>705</sub>, nCaB7-2s<sub>1795</sub>, nCaB7-2s<sub>840</sub>, nFeB7-2<sub>2830</sub>, nFeB7-2<sub>996</sub>, nCaB7-1<sub>810</sub>, nCaB7-2<sub>921</sub>, nCaB7-1s<sub>603</sub>, nCaB7-2s<sub>774</sub>, nFeB7-2<sub>918</sub>, nFeB7-2<sub>509</sub>, nFeB7-2s<sub>359</sub>, nCaCTLA4<sub>1856</sub>, nCaCTLA4<sub>672</sub>, nFeCTLA4<sub>1883</sub>, and nFeCTLA4<sub>4672</sub>; and a nucleic acid molecule consisting of a nucleic acid molecule selected from the group consisting of nFeB7-1s<sub>594</sub> and nFeB7-1s<sub>519</sub>.

13. The invention of Claims 1,2, or 6-8, wherein said nucleic acid molecule is selected from the group consisting of: a nucleic acid molecule comprising a nucleic acid sequence that encodes a protein having an amino acid sequence selected from the group consisting of SEQ ID NO:2, SEQ ID NO:7, SEQ ID NO:12, SEQ ID NO:17, SEQ ID NO:26, SEQ ID NO:31, SEQ ID NO:34, SEQ ID NO:42, and SEQ ID NO:47; a nucleic acid molecule comprising an allelic variant of a nucleic acid molecule encoding a protein

sub  
AG



SUB  
AG cont'd

having an amino acid sequence selected from the group consisting of SEQ ID NO:2, SEQ ID NO:7, SEQ ID NO:12, SEQ ID NO:17, SEQ ID NO:26, SEQ ID NO:31, SEQ ID NO:34, SEQ ID NO:42, and SEQ ID NO:47; a nucleic acid molecule consisting of a nucleic acid sequence that encodes a protein having amino acid sequence SEQ ID NO:37; and a nucleic acid molecule consisting of an allelic variant of a nucleic acid molecule that encodes a protein having amino acid sequence SEQ ID NO:37.

14. The invention of Claims 1,2, or 6-8, wherein said nucleic acid molecule is selected from the group consisting of: a nucleic acid molecule comprising a nucleic acid sequence selected from the group consisting of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:5, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:10, SEQ ID NO:11, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:16, SEQ ID NO:18, SEQ ID NO:19, SEQ ID NO:20, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:28, SEQ ID NO:29, SEQ ID NO:30, SEQ ID NO:32, SEQ ID NO:33, SEQ ID NO:35, SEQ ID NO:41, SEQ ID NO:43, SEQ ID NO:44, SEQ ID NO:45, SEQ ID NO:46, SEQ ID NO:48, SEQ ID NO:49, and SEQ ID NO:50; and a nucleic acid molecule comprising an allelic variant of a nucleic acid molecule comprising any of said nucleic acid sequences.

15. The invention of Claims 1-3 or 6-8, wherein said nucleic acid molecule is selected from the group consisting of: a nucleic acid molecule consisting of a nucleic acid sequence selected from the group consisting of SEQ ID NO:36, SEQ ID NO:38, SEQ ID NO:39, and SEQ ID NO:40. and a nucleic acid molecule consisting of an allelic variant of a nucleic acid molecule consisting of any of said nucleic acid sequences.

SUB  
A7

16. The invention of Claims 1-3 or 6-8, wherein said nucleic acid molecule comprises an oligonucleotide.

17. A recombinant molecule comprising a nucleic acid molecule as set forth in Claims 1-3 or 6-8, operatively linked to a transcription control sequence.

18. A recombinant virus comprising a nucleic acid molecule as set forth in Claims 1-3 or 6-8.

19. A recombinant cell comprising a nucleic acid molecule as set forth in Claims 1-3 or 6-8.

20. The nucleic acid molecule of Claim 3, wherein said naturally-occurring soluble mammalian B7 protein is selected from the group consisting of a naturally-occurring soluble mammalian B7-1 protein and a naturally-occurring soluble mammalian B7-2 protein.

21. The nucleic acid molecule of Claim 3, wherein said nucleic acid molecule comprises a nucleic acid sequence encoding a naturally-occurring soluble B7-2 protein having extracellular and intracellular domains but lacking at least a portion of a transmembrane domain sufficient to produce a soluble protein upon translation of said nucleic acid molecule in a suitable host cell.

22. The nucleic acid molecule of Claim 3, wherein said nucleic acid molecule comprises a nucleic acid sequence encoding a naturally-occurring soluble B7-1 protein having an extracellular domain but lacking at least a portion of transmembrane and intracellular domains sufficient to produce a soluble protein upon translation of said nucleic acid molecule in a suitable host cell.

23. The nucleic acid molecule of Claim 3, wherein said naturally-occurring soluble mammalian B7 protein is capable of binding to a protein selected from the group consisting of CD28 and CTLA4.

24. The nucleic acid molecule of Claim 3, wherein said nucleic acid molecule comprises a nucleic acid sequence encoding a naturally-occurring soluble feline B7-1 protein having an extracellular domain but lacking at least a portion of transmembrane and intracellular domains sufficient to produce a soluble protein upon translation of said nucleic acid molecule in a suitable host cell, wherein said extracellular domain comprises an IgV-like domain, but lacks an IgC-like domain.

25. The nucleic acid molecule of Claim 3, wherein said naturally-occurring soluble mammalian B7 protein is capable of delivering a co-stimulatory signal to a helper T cell sufficient to stimulate cytokine secretion by said helper T cell.

26. The nucleic acid molecule of Claim 1-3 or 6-8, wherein said nucleic acid molecule is selected from the group consisting of a canine nucleic acid molecule and a feline nucleic acid molecule.

SUB  
G10 *acid*

27. The invention of Claims 4 or 6-9, wherein said protein, when administered to an animal, elicits an immune response against a protein selected from the group consisting of a B7-1 protein, a B7-2 protein and a CTLA4 protein.

28. The invention of Claims 4 or 6-9, wherein said protein is selected from the group consisting of: a protein comprising an amino acid sequence selected from the group consisting of SEQ ID NO:2, SEQ ID NO:7, SEQ ID NO:12, SEQ ID NO:17, SEQ ID NO:26, SEQ ID NO:31, SEQ ID NO:34, SEQ ID NO:42, and SEQ ID NO:47; a protein encoded by an allelic variant of a nucleic acid molecule encoding a protein selected from the group consisting of SEQ ID NO:2, SEQ ID NO:7, SEQ ID NO:12, SEQ ID NO:17, SEQ ID NO:26, SEQ ID NO:31, SEQ ID NO:34, SEQ ID NO:42, and SEQ ID NO:47; a protein consisting of amino acid sequence SEQ ID NO:37; and a protein encoded by an allelic variant of a nucleic acid molecule encoding a protein consisting of amino acid sequence SEQ ID NO:37.

29. An isolated antibody that selectively binds to a protein as set forth in Claims 4-9.

30. The protein of Claim 5, wherein said protein is selected from the group consisting of a naturally-occurring soluble mammalian B7-1 protein and a naturally-occurring soluble mammalian B7-2 protein.

31. The protein of Claim 4-9, wherein said protein is selected from the group consisting of a canine protein and a feline protein.

32. The protein of Claim 5, wherein said protein comprises an isolated naturally-occurring soluble B7-2 protein comprising extracellular and intracellular domains but lacking at least a portion of a transmembrane domain sufficient to be a soluble B7-2 protein.

33. The protein of Claim 5, wherein said protein comprises an isolated naturally-occurring soluble B7-1 protein comprising an extracellular domain but lacking at least a portion of transmembrane and intracellular domains sufficient to produce a soluble B7-1 protein.

34. The protein of Claim 5, wherein said protein comprises a naturally-occurring soluble feline B7-1 protein having an extracellular domain but lacking at least a portion of transmembrane and intracellular domains sufficient to produce a soluble

protein upon translation of said nucleic acid molecule in a suitable host cell, wherein said extracellular domain comprises an IgV-like domain, but lacks an IgC-like domain.

35. The protein of Claim 5, wherein said protein is capable of binding to a protein selected from the group consisting of CD28 and CTLA4.

5 36. The protein of Claim 5, wherein said protein is capable of delivering a co-stimulatory signal to a helper T cell sufficient to stimulate cytokine secretion by said helper T cell.

10 37. The invention of Claim 6 or Claim 7, wherein said composition further comprises a component selected from the group consisting of an excipient, an adjuvant and a carrier.

38. The invention of Claim 6 or Claim 7, wherein said therapeutic compound is selected from the group consisting of a naked nucleic acid vaccine and a recombinant cell vaccine.

15 39. The method of Claim 7, wherein said animal is selected from the group consisting of canines and felines.

50h  
A''

after  
B1